IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A process for continuously preparing higher (meth)acrylic esters (C) in a plant comprising a reaction apparatus and a vacuum evaporation stage for receiving a bottom product remaining after separation of a highly pure ester product, the process comprising:

transesterifying methyl(meth)acrylate (A) with <u>a higher alcohols alcohol</u> (B) in the presence of a catalyst or catalyst mixture <u>in the reaction apparatus</u>;

characterized in that the dividing a bottom effluent of from a the vacuum evaporation stage into a first portion and a second portion; and

(6) is divided and is fed in part to a recycling the first portion to the reaction apparatus—(1).

Claim 2 (Currently Amended): A process for continuously preparing higher (meth)acrylic esters (C) in a plant comprising a reaction apparatus and a film evaporator for separating a highly pure ester product, the process comprising:

transesterifying methyl(meth)acrylate (A) with <u>a higher alcohols alcohol</u> (B) in the presence of a catalyst or catalyst mixture in the reaction apparatus,:

characterized in that the dividing a bottom effluent from a the film evaporator into a first portion and a second portion; and

(5) is divided and is fed in part recycling the first portion to the reaction apparatus (1).

Claim 3 (Currently Amended): A process for continuously preparing higher (meth)acrylic esters (C) in a plant comprising a reaction apparatus, a film evaporator for

separating a highly pure ester product, and a vacuum evaporation stage for receiving a bottom product remaining after separation of a highly pure ester product, the process comprising:

transesterifying methyl(meth)acrylate (A) with <u>a higher alcohols alcohol</u> (B) in the presence of a catalyst or catalyst mixture in the reaction apparatus;

, characterized in that the dividing a bottom effluent from the film evaporator into a first portion and a second portion;

(5) is divided and is fed in part-recycling the first portion to the reaction apparatus;

(1) and in that the dividing a bottom effluent of the vacuum evaporation stage into a third portion and a fourth portion; and

(6) is divided and is fed-recycling the third portion to the reaction apparatus-(1).

Claim 4 (Currently Amended): The process of claim 1, characterized in that wherein the higher alcohols are alcohol comprises at least one member selected from the group consisting of n-butanol, isobutanol, and 2-ethylhexanol, or a combination thereof.

Claim 5 (Currently Amended): The process of claim 1, eharacterized in that wherein the catalyst used is comprises a homogeneous catalyst.

Claim 6 (Currently Amended): The process according to claim 5, eharacterized in that-wherein the catalyst used is the comprises a titanate of the higher alcohol (B).

Claim 7 (Currently Amended): The process according to claim 1, characterized in that-wherein the first portion comprises 1-95% by weight of the bottom effluent from the vacuum evaporation stage (6) is fed to the reaction apparatus.

Claim 8 (Currently Amended): The process according to claim 7, characterized in that-wherein the first portion comprises 40-90% by weight of the bottom effluent from the vacuum evaporation stage (6) is fed to the reaction apparatus (1).

Claim 9 (Currently Amended): The process according to claim 8, eharacterized in that-wherein the first portion comprises 60-85% by weight of the bottom effluent from the vacuum evaporation stage (6) is fed to the reaction apparatus (1).

Claim 10 (Currently Amended): The process according to claim 2, eharacterized in that-wherein the first portion comprises 1-95% by weight of the bottom effluent from the film evaporator (5) is fed to the reaction apparatus (1).

Claim 11 (Currently Amended): The process according to claim 10, eharacterized in that wherein the first portion comprises 40-90% by weight of the bottom effluent from the film evaporator (5) is fed to the reaction apparatus (1).

Claim 12 (Currently Amended): The process according to claim 11, eharacterized in that-wherein the first portion comprises 60-85% by weight of the bottom effluent from the film evaporator (5) is fed to the reaction apparatus (1).

Claim 13 (Currently Amended): The process according to claim 3, eharacterized in that-wherein the first portion and the third portion together comprise 1-95% by weight of the sum of the bottom effluents from the film evaporator (5) and from the vacuum evaporation stage (6) is fed to the reaction apparatus (1).

Claim 14 (Currently Amended): The process according to claim 13, eharacterized in that wherein the first portion and the third portion together comprise 40-90% [lacuna] by weight of the sum of the bottom effluents from the film evaporator (5) and from the vacuum evaporation stage (6) is fed to the reaction apparatus (1).

Claim 15 (Currently Amended): The process according to claim 14, eharacterized in that-wherein the first portion and the second portion together comprises 60-85% by weight of the sum of the bottom effluents from the film evaporator (5) and from the vacuum evaporation stage (6) is fed to the reaction apparatus (1).

Claim 16 (Currently Amended): The process of claim 2, characterized in that wherein the higher alcohols are alcohol comprises at least one member selected from the group consisting of n-butanol, isobutanol, and 2-ethylhexanol, or a combination thereof.

Claim 17 (Currently Amended): The process of claim 3, eharacterized in that wherein the higher alcohols used are alcohol comprises at least one member selected from the group consisting of n-butanol, isobutanol, and 2-ethylhexanol, or a combination thereof.

Claim 18 (Currently Amended): The process of claim 2, characterized in that wherein the catalyst used is comprises a homogeneous catalyst.

Claim 19 (Currently Amended): The process of claim 3, characterized in that wherein the catalyst used is comprises a homogeneous catalyst.